


ARTEMIS 3 CT

RECESSED COLOR TUNING DOWNLIGHT



Artemis 3 CT - Recessed Color Tuning Downlight. Artemis 3 CT features SENSO-designed reflectors and our Color Tuning for comfortable color tuning in an efficient lighting package. As part of the Artemis family of downlights, it's easy to get a cohesive design regardless of fixture size or style.

Ordering Code

Fixture	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	1	2	3	4	5	6	7	8	9
Driver	<input type="text"/>	<input type="text" value="--"/>	<input type="text" value="--"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="--"/>	<input type="text" value="--"/>	<input type="text" value="--"/>	<input type="text"/>
	1	2	3	4	5	6	7	8	

Product Specifications

SAMPLE: Fixture **AR3D - TL - CT - 615 - 2765 - 15 - DL - 02 - 08** | Driver **910 - AR3D - TL - DALI - 120 - CT - 15 - 08**

1 - Model	2 - Trim	3 - LED	4 - Optic	5 - CCT	6 - Lumen
AR3D · Artemis 3 Downlight	FL · Flanged TL · Trimless	CT · Color Tuning (90 CRI)	615 · 15° 630 · 30° 645 · 45° 660 · 60° 680 · 80° Smooth Anodized*1	2765 · 2700K - 6500K	15 · 1500 @ 4000K (15W) 750lm per channel 30 · 3000 @ 4000K (34.5W) 1500lm per channel
AR3A · Artemis 3 Adjustable					
AR3W · Artemis 3 Wall Wash*1					

7 - Accessory	8 - Trim Color	9 - Baffle Color	1 - Housing Style	2 - Model	3 - Trim
00 · No Accessory DL · Diffusing Lens	01 · White 02 · Black 08 · Silver XX · Custom	01 · White 02 · Black 08 · Silver XX · Custom	910 · Remote 915 · New Construction 920 · IC Housing 930 · Chicago Plenum	Same as Fixture	Same as Fixture

4 - Driver	Dim Level	5 - Voltage	6 - LED	7 - Lumen	8 - Baffle Color*4
DALI · Dali Protocol LCS · 2 channel 0-10V dimming*2 DMX · SENSO CSMB · Casambi Wireless Control*2/3	0.1%	120 · 120V 277 · 277V	Same as Fixture	Same as Fixture	Same as Fixture

Project : _____
 Quantity : _____
 Type : _____
 Notes : _____

*1 **680** not available with **AR3W**

*2 **910** - Remote Housing only

*3 Specified separately

*4 Only needed for Trimless



ARTEMIS 3 CT

RECESSED COLOR TUNING DOWNLIGHT

Light Engine


- Output:** up to 3000lm
- High Efficacy:** up to 95 lumen/Watt
- Color Temperature (CCT):** 2700K up to 6500K
- Color Consistency:** Range within a 3-MacAdam Ellipse
- Color rendering (CRI):** 90 CRI

Driver


- Dimming:** Dali and DMX
- Ripple:** Industry leading Low ripple
- Efficiency:** Power Factor >0.9
Efficiency over 85%
Class 2 output for safety
- Installation:** Small Footprint allows retrofit installations

Reflector

Faceted Reflector



Smooth Anodized Reflector




Installation


- For new and retrofit installations
- Simple connection between fixture and driver via quick connect

Construction / Finish


- Satin powder coated finish
- Custom finishes are available
- Cast Aluminum Trim
- Made in Canada




Artemis 3 Fixed Downlight



Artemis 3 Adjustable



Artemis 3 Wall Wash







ARTEMIS 3 CT

RECESSED COLOR TUNING DOWNLIGHT



Housing Options

Standard Senso Housing - 910





Dimension

Included

Unless specified otherwise, this is provided as standard

- Driver with enclosure**
- Galvanized steel enclosure
- Installation**
- Laying on top of ceiling
 - Remote from fixture
 - Hanger bar and mount included

New Construction - 915





Dimension

Included

- Plaster Frame**
- Galvanized steel construction with cut-out
- Bar hanger**
- Length: from 14-3/16" to 26"
- Outlet Box**
- Outlet Box Included

IC Housing - 920



Dimension

Included

- IC Housing**
- Galvanized steel construction
 - Airtight
 - Includes gasketed junction box
- Plaster Frame**
- Galvanized steel construction
- Bar hanger**
- Length: from 14-3/16" to 26"

Note: use only with LED modules up to 1500lm

