

LATONA 1 WET

WET RATED RECESSED LED DOWNLIGHT



Latona 1 Wet - Wet Rated Recessed downlight. The Latona 1 Wet is a smaller, stylish recessed fixture that features the Xicato module. This fixture is a small but a powerful option that features stationary positioning to guarantee correct position of light.

Ordering Code

Fixture	515						
	1	2	3	4	5	6	7
Driver		515			--	--	
	1	2	3	4	5	6	

Product Specifications

SAMPLE: Fixture **515 - 90 - 615 - 27 - 07 - 00 - 01** | Driver **910 - 515 - STD - 120 - 90 - 07**

1 - Model	2 - LED	3 - Reflector	4 - CCT	5 - Lumen	6 - Accessory	7 - Finish
515 · Latona 1 Wet-Rated	90 · Designer ⁹ 83V · Vibrancy ² 98 · Artist 98+ ^{*3} 98V · Vibrancy/Artist ^{*2/3} 98B · Beauty ^{*1/3}	615 · 15° 640 · 40° 638F · 38° Faceted 660 · 60°	27 · 2700K 30 · 3000K 35 · 3500K 40 · 4000K	07 · 700 (4.5W) 10 · 1000 (6.6W) 13 · 1300 (9.5W)	CL · Clear Lens DL · Diffusing Lens	01 · White 02 · Black 08 · Silver XX · Custom

1 - Housing Style	2 - Model	3 - Driver	Dim Level	Dim Level	4 - Line Voltage
910 · Remote 915 · New construction 920 · IC Housing ^{*3/4}	Same as Fixture	STD · Non Dimming LCS · 0 - 10 Volt Protocol DIM · Phase ^{*5} ELDOLC · EldoLED 0 - 10 Volt ^{*6} DALI · Dali Protocol ^{*6}	N/A 1% 1% 0.1% 0.1%	LUTES · Hilume Ecodigital ^{*6} LUT2W · 2 Wire for phase ^{*5/6} LUT5S · 5 Series Eco System ^{*6} DMX · SENSO ^{*6} EMG · Emergency Driver ^{*6/7}	1% 1% 5% 120 · 120V 277 · 277V 347 · 347V ^{*8}

5 - LED	6 - Lumen	Footnotes		Ordering Form
Same as Fixture	Same as Fixture	*1 Only available in 2700K *2 Only available in 3000K *3 1000lm max *4 Not available with flangeless trim *5 120V only	*6 Requires remote housing *7 Specified separately *8 Not available with ELDO, Lutron or DMX *9 Not available with 15° reflector	Project : _____ Quantity : _____ Type : _____ Notes : _____

LATONA 1 WET

WET RATED RECESSED LED DOWNLIGHT

XTM Module

- Up to 125 lumens per Watt at operating conditions
- Very tight color consistency, within 1 x 2 MacAdam Ellipses
- Available in 19mm and 9mm LES
- 83+ and 98+ CRI versions

98+ (Artist)


Xicato Artist Series is virtually indistinguishable from halogen light, and delivers high quality, natural light that is efficient and long lasting.



CCT: 2700 - 4000
CRI: 98+

Vibrancy


Xicato Vibrant Series enables us to see colors, hues and tones, that are real, but simply aren't visible under halogen light.



CCT: 3000
CRI: 83+, 98+

Designer

Xicato Designer Series is custom formulated to provide outstanding color rendering while retaining high efficacy.



CCT: 2700 - 4000
CRI: 90

Beauty


Xicato Beauty Series makes it possible to precisely tune the spectrum to deliver extraordinary clarity and fidelity for settings where people are the focus.




CCT: 2700
CRI: 95

Reflector

Faceted Reflector



Smooth Reflector




Installation

- For new and retrofit installations
- Easy installation with spring loaded tabs
- Simple connection between fixture and driver via quick connect
- Wet Rated for damp areas

Construction/Finish

- Powder coated in white, black or silver
- Custom finish are available
- Cast aluminum
- Seismic tether
- Made in Canada

Dimensions




LATONA 1 WET

WET RATED RECESSED LED DOWNLIGHT




Housing Options

Standard Senso Housing - 910



Dimension



Included


Unless specified otherwise, this is provided as standard

- Bar hanger**
 - Included with large 910 box only
 - Length: from 14-3/16" to 26"
 - Mounting screws not included
- Driver with enclosure**
 - Galvanized steel enclosure
- Security wire**
 - Flexible aircraft cable, 12" long
 - Easy to clip snap body included


*driver can be installed either:

- (A) laying on top of ceiling.
- (B) mounted to the bar hanger and fixed to the ceiling.
- (C) remote from the fixture, with the bar hanger still used if desired to secure the fixture

New Construction - 915 Flanged




Dimension




Included

- Plaster Frame**
 - Galvanized steel construction
- Bar hanger**
 - Length: from 14-3/16" to 26"
- Outlet Box**
 - Standard Senso housing 910 included
- Security wire**
 - Flexible aircraft cable, 12" long
 - Easy to clip snap body included

IC Housing - 920



Dimension



Included

- IC Housing**
 - Galvanized steel construction
 - Airtight
 - Includes gasketed junction box
- Plaster Frame**
 - Galvanized steel construction
- Bar hanger**
 - Length: from 14-3/16" to 26"

Note: Lumen output cannot exceed 1000lm
Not available in flangeless