

LATONA 4

RECESSED ADJUSTABLE LED DOWNLIGHT



Latona 4 - Recessed Adjustable downlight. The Latona 4, a smaller, stylish square recessed fixture, features a 30° adjustable aperture that uses the Xicato module as its potent LED power source.

Ordering Code

Fixture	513							
	1	2	3	4	5	6	7	8
Driver		513	--			--	--	--
	1	2	3	4	5	6	7	8

Product Specifications

SAMPLE: Fixture **513 - FL - 90 - 615 - 27 - 07 - 00 - 01** | Driver **910 - 513 - FL - STD - 120 - 90 - 07 - 01**

1 - Model	2 - Trim	3 - LED	4 - Reflector	5 - CCT	6 - Lumen	7 - Accessory
513 · Latona 4	FL · Flanged 99 · Flangeless	90 · Designer ^{*10} 83V · Vibrancy ^{*2} 98 · Artist 98+ ^{*3} 98V · Vibrancy/Artist ^{*2/3} 98B · Beauty ^{*1/3}	615 · 15° 640 · 40° 638F · 38° Faceted 660 · 60°	27 · 2700K 30 · 3000K 35 · 3500K 40 · 4000K	07 · 700 (4.5W) 10 · 1000 (6.6W) 13 · 1300 (9.5W)	00 · No Accessory DL · Diffusing Lens

8 - Finish	1 - Housing Style	2 - Model	3 - Trim	4 - Driver	Dim Level	Dim Level
01 · White 02 · Black 08 · Silver XX · Custom	910 · Remote 915 · Plaster Frame 920 · IC Housing ^{*3/4}	Same as Fixture	Same as Fixture	STD · Non Dimming LCS · 0 - 10 Volt Protocol DIM · Phase ^{*5} ELDOLC · EldoLED 0 - 10 Volt ^{*6} DALI · Dali Protocol ^{*6}	N/A 1% 1% 0.1% 0.1%	LUTES · Hilume Ecodigital ^{*6} 1% LUT2W · 2 Wire for phase ^{*5/6} 1% LUT5S · 5 Series Eco System ^{*6} 5% DMX · SENSO ^{*6} EMG · Emergency Driver ^{*6/7}

5 - Line Voltage	6 - LED	7 - Lumen	8 - Finish ^{*9}
120 · 120V 277 · 277V 347 · 347V ^{*8}	Same as Fixture	Same as Fixture	Same as Fixture <i>Only required with Flangeless Trim</i>

Project : _____
 Quantity : _____
 Type : _____
 Notes : _____

*1 Only available in 2700K
 *2 Only available in 3000K
 *3 1000lm max
 *4 Not available with flangeless trim
 *5 120V only

*6 Requires remote housing
 *7 Specified separately
 *8 Not available with ELDO, Lutron or DMX
 *9 Only required with **Flangeless Trim**
 *10 Not available with 15° reflector

LATONA 4

RECESSED ADJUSTABLE LED DOWNLIGHT

XTM Module

- Up to 125 lumens per Watt at operating conditions
- Very tight color consistency, within 1 x 2 MacAdam Ellipses
- Available in 19mm and 9mm LES
- 83+ and 98+ CRI versions

98+ (Artist)

Xicato Artist Series is virtually indistinguishable from halogen light, and delivers high quality, natural light that is efficient and long lasting.



CCT: 2700 - 4000
CRI: 98+

Vibrancy

Xicato Vibrant Series enables us to see colors, hues and tones, that are real, but simply aren't visible under halogen light.



CCT: 3000
CRI: 83+, 98+

Designer

Xicato Designer Series is custom formulated to provide outstanding color rendering while retaining high efficacy.



CCT: 2700 - 4000
CRI: 90

Beauty


Xicato Beauty Series makes it possible to precisely tune the spectrum to deliver extraordinary clarity and fidelity for settings where people are the focus.




CCT: 2700
CRI: 95

Reflector

Faceted Reflector




Smooth Reflector




Dimensions

Flanged



Flangeless trim kit



Installation

- For new and retrofit installations
- Easy installation with spring loaded tabs
- Simple connection between fixture and driver via quick connect
- 0° to 30° adjustable tilt angle

Construction/Finish

- Powder coated in white, black or silver
- Custom finish are available
- Cast aluminum
- Seismic tether
- Made in Canada

LATONA 4



RECESSED ADJUSTABLE LED DOWNLIGHT



Housing Options

Standard Senso Housing - 910

Dimension



Included

Unless specified otherwise, this is provided as standard



- Bar hanger**
 - Included, unmounted from single
 - Length: from 14-3/16" to 26"
 - Mounting screws not included
- Driver with enclosure**
 - Galvanized steel enclosure
- Security wire**
 - Flexible aircraft cable, 12" long
 - Easy to clip snap body included

* driver can be installed either:

- (A) laying on top of ceiling.
- (B) mounted to the bar hanger and fixed to the ceiling.
- (C) remote from the fixture, with the bar hanger still used if desired to secure the fixture



New Construction - 915 Flanged

Dimension



New Construction - 915 Flangeless

Dimension





Included

- Plaster Frame**
 - Galvanized steel construction with cut-out to
- Bar hanger**
 - Length: from 14-3/16" to 26"
- Outlet Box**
 - Standard Senso housing 910 included
- Security wire**
 - Flexible aircraft cable, 12" long
 - Easy to clip snap body included

IC Housing - 920

Dimension



Included

- IC Housing**
 - Galvanized steel construction
 - Airtight
 - Includes gasketed junction box
- Plaster Frame**
 - Galvanized steel construction
- Bar hanger**
 - Length: from 14-3/16" to 26"

Note: Lumen output cannot exceed 1000lm
Not available in flangeless