

# LETO 11 Mini WM

WALL MOUNT LED DOWNLIGHT



**Leto 11 Mini WM - Wall Mount LED Downlight.** Leto 11 Mini WM is a small wall mounted cylinder LED fixture designed to provide a space with discrete direct lighting. It is the perfect solution for creating subtle light in your space.

## Ordering Code

Fixture	<b>652</b>								
	1	2	3	4	5	6	7	8	9
Driver					--	--			
	1	2	3	4	5	6			

## Product Specifications

**SAMPLE:** Fixture **652 - S - A90 - 617 - 27 - 07 - 08 - 02** | Driver **951 - 01 - STD - 120 - A90 - 07**

1 - Model	2 - Size	3 - CRI/LED	4 - Optic	5 - CCT	6 - Lumen	7 - Accessory
<b>652</b> · Leto 11 Mini Wall Mount	<b>S</b> · Small (73mm) <b>M</b> · Medium (209mm) <b>L</b> · Large (346mm)	<b>A90</b> · 93+ CRI Accuracy	<b>617</b> · 17° <b>624</b> · 24° <b>660</b> · 60°	<b>25</b> · 2500K <b>27</b> · 2700K <b>30</b> · 3000K <b>35</b> · 3500K <b>40</b> · 4000K <b>65</b> · 6500K	<b>07</b> · 700 (6.1W) <b>10</b> · 1000 (9.1W) <b>15</b> · 1500 (14W)	<b>00</b> · No Accessory <b>DL</b> · Diffusing Film <b>HO</b> · Honeycomb**

8 - Body Color		9 - Baffle Color		1 - Canopy Style	2 - Canopy Color	
<i>Standard</i>	<i>Premium</i>	<i>Standard</i>	<i>Premium</i>	<b>955</b> · Round Slim	<i>Standard</i>	<i>Premium</i>
<b>01</b> · White	<b>52</b> · Mocha	<b>01</b> · White	<b>52</b> · Mocha	<b>965</b> · Square Slim	<b>01</b> · White	<b>52</b> · Mocha
<b>02</b> · Black	<b>53</b> · Charcoal	<b>02</b> · Black	<b>53</b> · Charcoal	<b>954</b> · Round Semi-Recessed	<b>02</b> · Black	<b>53</b> · Charcoal
<b>08</b> · Silver	<b>54</b> · Cerulean	<b>08</b> · Silver	<b>54</b> · Cerulean		<b>08</b> · Silver	<b>54</b> · Cerulean
	<b>55</b> · Firebrick		<b>55</b> · Firebrick			<b>55</b> · Firebrick
	<b>BZ</b> · Bronze		<b>BZ</b> · Bronze			<b>BZ</b> · Bronze
	<b>WN</b> · Warm Nickel		<b>WN</b> · Warm Nickel			<b>WN</b> · Warm Nickel
	<b>AB</b> · Aged Brass		<b>AB</b> · Aged Brass			<b>AB</b> · Aged Brass
	<b>XX</b> · RAL		<b>XX</b> · RAL			<b>XX</b> · RAL

3 - Driver <sup>2</sup>		Dim Level		4 - Voltage	5 - CRI/LED	6 - Lumen
<b>STD</b> · Non Dimming <sup>5</sup>	N/A	<b>DALI</b> · Dali Protocol <sup>3</sup>	0.1%	<b>120</b> · 120V	Same as Fixture	Same as Fixture
<b>LCS</b> · 0 - 10 Volt Protocol <sup>5</sup>	1%	<b>LUTES</b> · Hilume Ecodigital <sup>3</sup>	1%	<b>277</b> · 277V		
<b>DIM</b> · Phase <sup>2/5</sup>	1%	<b>LUT2W</b> · 2 Wire for phase <sup>2/4</sup>	1%	<b>347</b> · 347V <sup>3/4</sup>		
<b>ELDOLC</b> · EldoLED 0 - 10 Volt <sup>3</sup>	0.1%					

\*1 accessories not available with small size

\*2 120V only

\*3 remote mount

\*4 not available with DALI or Lutron drivers

\*5 Can be junction box mounted with **955** and **965**. See page 2 for details.



# LETO 11 Mini W/M

WALL MOUNT LED DOWNLIGHT



## LED Module Performance

- Output:** up to 1500lm
- High Efficacy:** up to 110 lumen/Watt
- Color Options (CCT):** 2500K, 2700K, 3000K, 3500K, 4000K, 6500K
- Color Consistency:** Range within a 3-MacAdam Ellipse
- Color rendering (CRI):** 93+ CRI & 50+ R9 Value

## Driver and Power Consumption

- Dimming:** 1% dimming standard with 0.1% option
- Ripple:** Industry leading Low ripple
- Efficiency:** Power Factor >0.9  
Efficiency over 85%  
Class 2 output for safety

Lumen Option	700lm	1000lm	1500lm
Delivered Lumen	668lm	1002lm	1441lm
Fixture Wattage	6.1W	9.1W	14W


## Installation

- Pre-assembled for quick installation
- Low profile against the wall gives a floating appearance

## Construction


- Machined aluminum construction
- Powder coated in standard or premium finishes
- Made in Canada

## Dimensions



## Driver Placement

- **Standard, LCS, and Phase dimming** drivers may be mounted in the junction box.
- Minimum volume required to mount drivers in junction box:  
**70mm x 40mm x 30mm**



# LETO 11 Mini WLM


WALL MOUNT LED DOWNLIGHT

## Accessories

*Diffusing Film*




*Honeycomb*




## Standard Finishes

01 - White



02 - Black



08 - Silver



## Premium Finishes

55 - Mocha



56 - Charcoal



57 - Cerulean



58 - Firebrick




BZ - Bronze



WN - Warm Nickel




AB - Aged Brass




## Canopy



955 - Round Slim



965 - Square Slim



954 - Semi-Recessed +  
Cylinder Driver Housing




# LETO 11 Mini WM

WALL MOUNT LED DOWNLIGHT



## Senso Driver Housings

### 910 - Single Remote Driver Housing

- Fits Standard, LCS or DIM drivers
- Galvanized steel enclosure
- Installed in remote location






## Dimensions






### 910 - Double Remote Driver Housing

- Fits all drivers
- Galvanized steel enclosure
- Installed in remote location



### 954 - Cylinder Driver Housing


- Supplied standard with every semi-recessed canopy
- Fits Standard, LCS or DIM drivers
- Extruded aluminum enclosure with strain relief to fixture
- Installed in ceiling beside canopy



## 954 Driver Layouts

### 954 with Cylinder Driver Housing


- Installed in ceiling beside canopy
- Driver mounted inside cylinder
- Dimming control wired from Cylinder Driver Housing



### 954 with Cylinder Driver Housing

#### + 910 Single Driver Housing

- Driver remotely mounted inside 910 housing
- Fed directly to 954 cylinder for DC connections (wire and strain reliefs supplied by others)



### 954 with Cylinder Driver Housing

#### + 910 Double Driver Housing

- Driver remotely mounted inside 910 housing
- Fed directly to 954 cylinder for DC connections (wire and strain reliefs supplied by others)

