


LETO 21

DOUBLE



Leto 21 Double - Recessed Adjustable downlight. LETO 21 Double is a rectangle trimless recessed LED fixture. It is fully adjustable to 30°, designed to be architecturally pleasing with trimless application. It can be used for general lighting, or to highlight specific design areas.

Ordering Code

Fixture	602						
	1	2	3	4	5	6	
Driver		602			--	--	--
	1	2	3	4	5	6	7

Product Specifications

SAMPLE: Fixture **602 - 90 - 618 - 27 - 07 - 01** | Driver **915 - 602 - STD - 120 - 90 - 07 - 01**

1 - Model	2 - LED	3 - Optic	4 - CCT	5 - Lumen	6 - Finish	1 - Housing Style	2 - Model
602 · Leto 21 Double	90 · Designer 83V · Vibrancy* ² 98 · Artist 98+ 98V · Vibrancy/Artist* ² 98B · Beauty* ⁷	618 · 18° 630 · 30° 645 · 45° 660 · 60°	27 · 2700K 30 · 3000K 35 · 3500K 40 · 4000K	07 · 700 (4.5W) 10 · 1000 (6.6W) 13 · 1300 (9.5W) 20 · 2000 (15.2W) 30 · 3000 ³ (25.7W)	01 · White 02 · Black 08 · Silver XX · Custom	915 · New Construction	602 · Leto 21 Double

3 - Driver	Dim Level		Dim Level	4 - Line Voltage	5 - LED	6 - Lumen	7 - Finish
STD · Non Dimming	N/A	LUTES · Hilume Ecodigital	1%	120 · 120V	Same as Fixture	Same as Fixture	Same as Fixture
LCS · 0 - 10 Volt Protocol	1%	LUT2W · 2 Wire for phase* ⁵	1%	277 · 277V			
DIM · Phase* ⁵	1%	LUT5S · 5 Series Eco System	5%	347 · 347V* ⁸			
ELDOLC · EldoLED 0 - 10 Volt	0.1%	DMX · SENSO					
DALI · Dali Protocol	0.1%	EMG · Emergency Driver* ^{6/7}					

*1 Only available in 2700K

*2 Only available in 3000K

*3 Not available with Beauty Module

*4 120V only


*5 Requires remote housing

*6 Specified separately

*7 Not available with ELDO, Lutron or DMX

Project : _____
 Quantity : _____
 Type : _____
 Notes : _____

Performance Modules



Designer - The Designer module is custom formulated to provide outstanding color rendering while retaining high efficacy.

Output: Up to 125 lumen/Watt

Efficacy: Color consistency within 1x2 MacAdam Ellipses

CCT: 2700K - 4000K

Color Rendering: 90+ CRI

Min. R Values: R⁹ - 55 R¹ - 88 R^a - 101

Specialized Modules

Artist - Artist module is virtually indistinguishable from halogen light, and delivers high quality, natural light that is efficient and long lasting.

Vibrancy - Vibrancy Series enables us to see colors, hues and tones, that are real, but simply aren't visible under halogen light.

Beauty - Beauty Series makes it possible to precisely tune the spectrum to deliver extraordinary clarity and fidelity for settings where people are the focus.

CCT: 2700 - 4000
CRI: 95+
Min. R Values
 R⁹: 95
 R¹: 96
 R^a: 103

CCT: 3000
CRI: 80+, 95+
Min. R Values
 80 CRI / 95 CRI
 R⁹: 28 / 96
 R¹: 73 / 96
 R^a: 105 / 103

CCT: 2700
CRI: 93+
Min. R Values
 R⁹: 95
 R¹: 91
 R^a: 107

Driver and Power Consumption

Dimming: 1% dimming standard with 0.1% option

Ripple: Industry leading Low ripple

Efficiency: Power Factor >0.9

Efficiency over 85%


Class 2 output for safety

	Lumen Option	700lm	1000lm	1300lm	2000lm	3000lm
90 CRI Designer	Fixture Wattage	7.7W	11.0W	14.5W	20.5W	30.1W
	Delivered Lumen	725lm	965lm	1313lm	1840lm	2493lm

Reflector


Faceted Reflector

Senso metal spun reflectors for function, low glare and efficiency



Dimensions

□ 5.8" x 11.7"
 [147mm x 297mm]



Installation


- For new installations only
- Fully 30° angle adjustable spot, 360° rotation
- Simple connection between fixture and driver via quick connect
- Available for wet rated in single version.

Construction / Finish



- Custom finishes are available
- Cast Aluminum Trim and Steel Casing
- Made in Canada

Housing Options

New Construction - 915



Dimension



Included

- Plaster Frame** • Galvanized steel construction with cut-out to
- Bar hanger** • Length: from 14-3/16" to 26"
- Security wire** • Flexible aircraft cable, 12" long
- Easy to clip snap body included